

Cenovnik spiro kanala i opreme - FON Inženjering D.O.O.



Spiro kolena:



Prečnik - Φ (mm)	Spiro kanal (€/m)	Spiro kolena:			Muf/nipli:	Cevna obujmica:	Brza diht spojnica:	Elastična konekcija:	€/kom:
		90°	45°	30°					
Ø100	2.31	4.52	3.17	2.71	1.06	2.10	7.00	1.37	€/kom:
Ø125	2.89	4.71	3.31	2.84	1.26	2.41	8.10	1.76	€/kom:
Ø150	3.81	6.94	4.86	4.17	1.26	2.95	9.10	1.76	€/kom:
Ø160	4.02	7.3	5.11	4.38	1.26	3.18	9.80	1.76	€/kom:
Ø180	4.74	8.77	6.13	5.25	1.42	3.40	9.88	1.99	€/kom:
Ø200	5.04	10.28	7.2	6.16	1.68	3.52	11.20	2.35	€/kom:
Ø225	5.64	10.68	7.48	6.31	1.68	3.91	11.66	2.35	€/kom:
Ø250	6.30	13.48	9.44	8.09	1.86	4.35	12.60	2.60	€/kom:
Ø280	6.81	15.28	10.7	9.17	1.96	4.83	13.60	2.74	€/kom:
Ø300	7.97	19.67	13.76	11.8	2.10	5.41	14.00	2.94	€/kom:
Ø315	8.96	18.88	13.21	11.33	3.47	6.02	14.00	4.86	€/kom:
Ø355	9.57	21.91	15.33	13.15	3.68	6.72	15.22	5.15	€/kom:
Ø400	11.38	25.84	18.09	15.51	4.31	7.69	16.10	6.03	€/kom:
Ø450	13.63	31.46	22.02	18.88	4.62	8.23	18.90	6.47	€/kom:
Ø500	14.11	37.08	25.96	22.23	5.25	9.20	20.30	7.35	€/kom:
Ø550	17.44	42.14	29.49	25.28	5.57	9.72	23.80	7.80	€/kom:
Ø560	18.94	42.69	29.88	25.62	5.57	10.37	23.80	7.80	€/kom:
Ø630	21.45	48.31	33.97	28.99	6.09	11.17	28.00	8.53	€/kom:
Ø710	28.29	65.16	45.61	39.1	6.83	12.59	32.90	9.56	€/kom:
Ø800	31.19	83.14	58.2	49.89	9.77	16.24	35.88	13.68	€/kom:
Ø900	36.86	110.1	77.07	66.07	12.60	20.86	39.90	17.64	€/kom:
Ø1000	42.74	157.29	110.1	94.37	14.70	24.72	46.00	20.58	€/kom:
Ø1250	54.86	222.45	155.72	133.48	19.95	30.80	53.00	27.93	€/kom:
Ø1400	60.06	243.8	170.66	146.31	23.10	37.80	66.00	32.34	€/kom:

Standardna dužina izrade spiro kanala je 3m ili 6m. Po zahtevu se rade i bilo koje druge dužine. Spiro kolena je moguće izraditi pod bilo kojim - željenim uglom.




FON Inženjering D.O.O.

Ventilacija - klimatizacija - rekuperatori - integrisane toplotne pumpe

Kontakt: +381 18 4602 900, 4602 999


www.fon-ing.rs, email: foning@mts.rs

Cenovnik opreme - FON Inženjering D.O.O.



Redukcija - duga, centrična		
Ø1000/1250	94.73	€/kom
Ø900/1000	77.62	€/kom
Ø800/900	64.71	€/kom
Ø710/800	53.92	€/kom
Ø710/630	44.94	€/kom
Ø630/560	36.62	€/kom
Ø560/500	30.33	€/kom
Ø500/450	24.37	€/kom
Ø450/400	20.14	€/kom
Ø400/355	18.15	€/kom
Ø355/315	15.52	€/kom
Ø315/250	12.79	€/kom
Ø355/250	14.48	€/kom
Ø250/200	11.08	€/kom
Ø200/160	10.00	€/kom
Ø160/125	8.95	€/kom

Napomena: Redukcije je moguće izraditi po izbornim prečnicima i dužinama



Φ(mm)	Sedlasti komad, presovan, centričan		
100/100	Sedlasti komad, presovan, centričan	2.85	€/kom
125/100	Sedlasti komad, presovan, centričan	2.95	€/kom
125/125	Sedlasti komad, presovan, centričan	3.45	€/kom
160/100	Sedlasti komad, presovan, centričan	3.13	€/kom
160/125	Sedlasti komad, presovan, centričan	3.88	€/kom
160/160	Sedlasti komad, presovan, centričan	4.81	€/kom
200/125	Sedlasti komad, presovan, centričan	3.78	€/kom
200/160	Sedlasti komad, presovan, centričan	4.80	€/kom
200/200	Sedlasti komad, presovan, centričan	6.46	€/kom
250/160	Sedlasti komad, presovan, centričan	5.24	€/kom
250/200	Sedlasti komad, presovan, centričan	5.78	€/kom
250/250	Sedlasti komad, presovan, centričan	8.05	€/kom
315/200	Sedlasti komad, presovan, centričan	7.04	€/kom
315/250	Sedlasti komad, presovan, centričan	9.66	€/kom
315/315	Sedlasti komad, presovan, centričan	12.86	€/kom
400/315	Sedlasti komad, presovan, centričan	12.86	€/kom



FON Inženjering D.O.O.

Ventilacija - klimatizacija - rekuperatori - integrisane toplotne pumpe
 kontakt: +381 18 4602 900, 4602 999
 www.fon-ing.rs, email: foning@mts.rs

T račve - FON Inžinjer D.O.O.

Φ(mm)	T račva, centrična	Cena(€/kom)	450/400	T račva, centrična	43.56
100/100	T račva, centrična	6.88	500/280	T račva, centrična	41.72
125/100	T račva, centrična	7.37	500/315	T račva, centrična	44.23
125/125	T račva, centrična	7.73	500/450	T račva, centrična	49.54
150/100	T račva, centrična	8.04	500/500	T račva, centrična	61.65
160/100	T račva, centrična	8.52	630/500	T račva, centrična	65.29
160/125	T račva, centrična	8.52	630/630	T račva, centrična	71.24
160/160	T račva, centrična	8.77	710/630	T račva, centrična	78.75
180/100	T račva, centrična	10.44	710/710	T račva, centrična	82.95
180/125	T račva, centrična	8.69	800/800	T račva, centrična	93.45
200/100	T račva, centrična	10.00	900/900	T račva, centrična	95.55
200/125	T račva, centrična	9.12	900/800	T račva, centrična	113.74
200/160	T račva, centrična	11.05	1000/900	T račva, centrična	128.08
200/200	T račva, centrična	12.20			
250/160	T račva, centrična	14.37			
250/200	T račva, centrična	16.91			
250/250	T račva, centrična	21.38			
315/200	T račva, centrična	19.45			
315/250	T račva, centrična	22.34			
315/315	T račva, centrična	25.36			
355/280	T račva, centrična	32.19			
400/250	T račva, centrična	26.86			
400/300	T račva, centrična	31.50			
400/315	T račva, centrična	32.80			
400/400	T račva, centrična	42.64			
450/250	T račva, centrična	35.20			
450/280	T račva, centrična	36.32			
450/355	T račva, centrična	41.88			



Kose račve - FON Inženjering D.O.O.

Φ(mm)	Kosa račva	Cena(€/kom)	450/400	Kosa račva - 45°	
100/100	Kosa račva - 45°	8.94	500/280	Kosa račva - 45°	56.62
125/100	Kosa račva - 45°	9.58	500/315	Kosa račva - 45°	54.24
125/125	Kosa račva - 45°	10.05	500/450	Kosa račva - 45°	57.49
150/100	Kosa račva - 45°	10.45	500/500	Kosa račva - 45°	64.40
160/100	Kosa račva - 45°	11.08	630/500	Kosa račva - 45°	80.15
160/125	Kosa račva - 45°	11.08	630/630	Kosa račva - 45°	84.88
160/160	Kosa račva - 45°	11.40	710/630	Kosa račva - 45°	92.61
180/100	Kosa račva - 45°	13.57	710/710	Kosa račva - 45°	102.37
180/125	Kosa račva - 45°	11.30	800/800	Kosa račva - 45°	107.83
200/100	Kosa račva - 45°	13.00	900/900	Kosa račva - 45°	121.49
200/125	Kosa račva - 45°	11.86	900/800	Kosa račva - 45°	124.21
200/160	Kosa račva - 45°	15.52	1000/900	Kosa račva - 45°	147.86
200/200	Kosa račva - 45°	15.86			166.50
250/160	Kosa račva - 45°	18.68			
250/200	Kosa račva - 45°	21.98			
250/250	Kosa račva - 45°	27.79			
315/200	Kosa račva - 45°	25.94			
315/250	Kosa račva - 45°	29.04			
315/315	Kosa račva - 45°	32.97			
355/280	Kosa račva - 45°	41.85			
400/250	Kosa račva - 45°	34.92			
400/300	Kosa račva - 45°	40.95			
400/315	Kosa račva - 45°	42.64			
400/400	Kosa račva - 45°	56.71			
450/250	Kosa račva - 45°	45.76			
450/280	Kosa račva - 45°	47.21			
450/355	Kosa račva - 45°	54.44			



Ručni regulatori protoka kružnog poprečnog preseka - FON Inžinjeri D.O.O.

Φ (mm)	Cena	(€/kom)
125	13.80	(€/kom)
150	17.17	(€/kom)
160	17.50	(€/kom)
180	18.66	(€/kom)
200	19.43	(€/kom)
225	20.16	(€/kom)
250	20.91	(€/kom)
280	23.93	(€/kom)
300	23.99	(€/kom)
315	25.05	(€/kom)
355	28.53	(€/kom)
400	31.73	(€/kom)
450	35.78	(€/kom)
500	39.99	(€/kom)
550	44.26	(€/kom)
600	52.87	(€/kom)
630	53.99	(€/kom)



Pravougaoni kanali i fazonski elementi - FON Inženjering D.O.O.

Debljina lima(mm)	0.5				0.8	
	400	600	800-1000	1200-1400	1600-2200	2400
Obim kanala	13.15	12.23	11.50 - 11.78	11.33 - 16.41	16 - 16.30	16
Cena(€/m)	2.10	1.85	1.75	1.75	1.75	1.70
Cena po €/kg						



Pravougaone vazdušne instalacije proizvode se od pocinkovanog lima debljine 0.5mm, 0.8mm, 1.0mm i 1.25mm, na standardnu dužinu od 1250mm za prave deonice. Po zahtevu se proizvode instalacije na dužinu do 2000mm, kao i debljine lima 1.50mm i deblje, kao i crni kanali za odimljavanje.

Prigušivači buke - FON Inženjering D.O.O.

Tip:	Dimenzija(mm):	Cena(€/kom)	broj kulisa na 50mm(standardno)
IAA - 200	400x200	102.9	3 + 2
IAA - 225	500x250	105	4 + 2
IAA - 250	500x300	117.6	5 + 2
IAA - 315	600x350	161.7	5 + 2
IAA - 355	700x400	173.25	6 + 2
IAA - 400	800x500	194.25	3 + 2
IAA - 450	1000x500	210	4 + 2

